

Respect the Food!®

MainStream™

ALUMINUM CONTAINERS & LIDS



VALUE.



A SMART CHOICE
Engineered For
Economical
Performance.

RESPONSIBILITY.



ALUMINUM BASE MATERIAL
Includes A Minimum Of
60% Recycled Content.
Recyclable.

PERFORMANCE.



YOUR FOOD AT ITS BEST
From Freezer to Oven,
These Containers Fiercely
Respect the Food


Respect the Food!®



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Bottom Dimen. (In.)	Depth	Fluid Ounces	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Lid
----------	----------	-------------	----------------------	---------------------	---------------------	-------	--------------	-----------------	-------------	-----------	---------	-------------------

Oblongs

15291	Alum	529 13 Oz. Oblong Closeable	6.66 x 5.00	6.03 x 4.09	5.41 x 3.75	1.06	13.00	8.36	2.38	500	5 x 4	K13
15375	Alum	537 1 LB Oblong Closeable	5.56 x 4.56	5.06 x 4.06	4.38 x 3.38	1.63	16.00	18.28	4.80	1000	4 x 4	K12, H11
15554	Alum	555 1.5 LB Oblong Closeable	8.50 x 6.00	8.00 x 5.50	7.50 x 5.00	1.19	25.00	13.48	4.21	500	4 x 4	K15, 37058150, 47058150
15676	Alum	567 1.5 LB Oblong Closeable	7.12 x 5.12	6.63 x 4.63	5.88 x 3.88	1.69	25.00	11.73	2.25	500	5 x 6	K10, H28
15634	Alum	563 2 LB Oblong Closeable	8.44 x 5.94	7.94 x 5.44	7.06 x 4.56	1.47	30.75	15.37	4.27	500	5 x 4	K15, 37058150, 47058150
15651	Alum	565 2 LB Oblong Closeable	8.50 x 6.38	8.00 x 5.88	7.31 x 5.19	1.47	33.20	15.84	5.50	500	6 x 5	K17, H21
15774	Alum	577 Oblong Loaf Closeable	8.44 x 4.31	7.94 x 3.81	7.38 x 3.25	2.25	38.00	17.82	4.71	500	3 x 5	K14, H13
15837	Alum	583 2 LB Loaf Closeable	8.44 x 4.31	8.00 x 3.88	7.41 x 3.28	2.48	38.00	21.80	5.27	500	4 x 5	K14, H13
15815	Alum	581 2.25 LB Oblong Closeable	8.44 x 5.94	7.94 x 5.44	7.00 x 4.50	1.81	36.00	18.84	3.30	500	6 x 5	K15, 37058150, 47058150
15790	Alum	579 3 LB Oblong Closeable	12.38 x 6.25	11.75 x 5.63	11.06 x 4.94	1.50	48.00	25.50	5.84	500	3 x 4	K25
15731	Alum	573 4 LB Oblong Closeable	12.13 x 8.13	11.50 x 7.50	11.00 x 7.00	1.50	66.00	17.96	5.73	250	3 x 4	K22, H63
15751	Alum	575 5 LB Oblong Closeable	9.63 x 7.06	9.00 x 6.44	8.13 x 5.56	1.50	76.00	16.94	4.69	250	4 x 4	K23
17401	Alum	740 3 Comp Low Div Closeable	8.50 x 6.38	8.00 x 5.88	7.25 x 5.13	1.47	10.70/4.50/4.50	13.64	2.93	500	6 x 4	K17, H21




Item No.	Material	Description	Outside Dimen. (In.)	Depth (In.)	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Base
----------	----------	-------------	----------------------	-------------	-----------------	-------------	-----------	---------	--------------------

Lids for Oblongs

K13	Board	Board Lid for 13 Oz. Oblong	6.59 x 4.94	x	9.00	0.26	500	20 x 6	15291
K12	Board	Board Lid for 1 LB Oblong	5.53 x 4.53	x	7.00	0.19	500	24 x 10	15375
K15	Board	Board Lid for 1.5 LB & 2.25 LB Oblong	8.41 x 5.91	x	14.00	0.35	500	15 x 7	15554, 15634, 15815
K10	Board	Board Lid for 1.5 LB Oblong	7.00 x 5.06	x	9.00	0.25	500	20 x 6	15676
K17	Board	Board Lid for 2 LB Oblong & 3 Comp Low Div	8.44 x 6.31	x	14.00	0.36	500	25 x 5	15651, 17401
K14	Board	Board Lid for Oblong Loaf	8.38 x 4.25	x	9.00	0.32	500	25 x 3	15774, 15837
K25	Board	Board Lid for 3 LB Oblong	12.31 x 6.19	x	20.47	0.43	500	21 x 5	15790
K22	Board	Board Lid for 4 LB Oblong	12.17 x 8.06	x	17.10	0.45	250	21 x 6	15731
K23	Board	Board Lid for 5 LB Oblong	9.56 x 7.00	x	9.00	0.26	250	20 x 7	15751
H11	OPS	Dome Lid for 1 LB Oblong	5.50 x 4.50	0.69	5.17	0.45	500	15 x 12	15375
37058150	OPS	Dome Lid for 1.5 LB & 2.25 LB Oblong	8.31 x 6.00	0.85	13.16	0.87	500	15 x 17	15554, 15634, 15815
47058150	PET	Dome Lid for 1.5 LB & 2.25 LB Oblong	8.31 x 6.00	0.85	16.00	0.87	500	15 x 17	15554, 15634, 15815
H28	OPS	Dome Lid for 1.5 LB Oblong	6.97 x 5.09	0.81	5.60	0.43	500	16 x 6	15676
H13	OPS	Dome Lid for Loaf	8.38 x 4.25	0.69	5.75	0.051	500	20 x 5	15774, 15837
H21	OPS	Dome Lid for 2 LB Oblong & 3 Comp Low Div	8.47 x 6.34	0.56	10.00	0.73	500	16 x 5	15651, 17401
H63	OPS	Dome Lid for 4 LB Oblong	12.06 x 8.06	0.75	11.00	0.74	250	16 x 5	15731

MainStream™

ALUMINUM CONTAINERS & LIDS



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Bottom Dimen. (In.)	Depth	Fluid Ounces	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Lid
----------	----------	-------------	----------------------	---------------------	---------------------	-------	--------------	-----------------	-------------	-----------	---------	-------------------


Rounds

14705	Alum	471 7 In. Round Closeable	7.12	6.56	5.63	1.53	26.00	10.72	3.08	500	5 x 5	K18, H22
14875	Alum	487 8 In Medium Round Closeable	8.31	7.81	7.09	1.56	37.00	11.14	4.42	500	6 x 4	K19, H23
14955	Alum	495 9 In Medium Round Closeable	8.94	8.38	7.78	1.66	48.00	14.43	4.49	500	3 x 6	K21, H24

Item No.	Material	Description	Outside Dimen. (In.)	Depth	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Base
----------	----------	-------------	----------------------	-------	-----------------	-------------	-----------	---------	--------------------

Lids for Rounds

K18	Board	Board Lid For 7 In Round	7.09	x	10.48	0.31	500	30 x 4	14705
K19	Board	Board Lid For 8 In Round	8.22	x	14.00	0.39	500	20 x 6	14875
K21	Board	Board Lid For 9 In Round	8.88	x	15.14	0.47	500	12 x 4	14955
H22	OPS	Dome Lid For 7 In Round	7.06	0.69	8.18	0.73	500	15 x 7	14705
H23	OPS	Dome Lid For 8 In Round	8.25	0.69	10.53	1.02	500	10 x 8	14875
H24	OPS	Dome Lid For 9 In Round	8.88	0.69	12.00	1.17	500	10 x 7	14955



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Bottom Dimen. (In.)	Depth	Fluid Ounces	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Lid
----------	----------	-------------	----------------------	---------------------	---------------------	-------	--------------	-----------------	-------------	-----------	---------	-------------------

Steam Tables

16151	Alum	615 1/3 Steam Table	12.63 x 6.50	11.75 x 5.63	10.38 x 4.25	3.25	93.00	8.39	2.04	100	5 x 6	16144
16241	Alum	624 1/2 Steam Table Shallow	12.75 x 10.38	11.75 x 9.38	10.81 x 8.44	1.69	79.50	8.43	1.79	100	6 x 7	16200
16223	Alum	622 1/2 Steam Table Deep	12.75 x 10.38	11.75 x 9.38	10.81 x 8.44	2.56	120.00	8.97	1.75	100	6 x 7	16200
16114	Alum	6110 Full Steam Table Shallow	20.75 x 12.81	19.56 x 11.63	17.59 x 9.66	1.50	174.80	10.64	1.96	50	6 x 7	16003
16116	Alum	6120 Full Steam Table Medium	20.75 x 12.81	19.56 x 11.63	17.59 x 9.66	2.19	228.00	12.39	2.13	50	6 x 6	16003
16119	Alum	611 Full Steam Table Medium Deep	20.75 x 12.81	19.56 x 11.63	17.59 x 9.66	2.94	320.00	15.00	1.97	50	6 x 7	16003
16004	Alum	600 Full Steam Table Deep	20.75 x 12.81	19.56 x 11.63	17.59 x 9.66	3.38	342.00	15.30	2.25	50	6 x 6	16003

Item No.	Material	Description	Outside Dimen. (In.)	Depth	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Base
----------	----------	-------------	----------------------	-------	-----------------	-------------	-----------	---------	--------------------


Lids for Steam Tables

16144	Alum	614 1/3 Steam Table Lid	12.69 x 6.56	0.50	10.65	3.70	100	15 x 9	16151
16200	Alum	6200 1/2 Steam Table Lid	12.81 x 10.88	0.63	4.89	0.75	100	10 x 11	16241, 16223
16003	Alum	6000 Full Steam Table Lid	20.81 x 12.88	0.63	5.18	1.11	50	6 x 13	16114, 16116, 16119, 16004

Respect the Food!®

MainStream™

ALUMINUM CONTAINERS & LIDS



15068




15431



15648



15780



19259



19507



16006

Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Bottom Dimen. (In.)	Depth	Fluid Ounces	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Lid
----------	----------	-------------	----------------------	---------------------	---------------------	-------	--------------	-----------------	-------------	-----------	---------	-------------------

Bakery

15068	Alum	505 8 IN Square	7.88 x 7.88	7.38 x 7.38	6.88 x 6.88	1.34	33.00	14.56	2.69	500	7 x 9	37050525, 37050425, 47050525, 47050550
15431	Alum	543 1 LB Loaf Pan	6.13 x 3.75	5.72 x 3.34	4.91 x 2.53	2.03	16.00	10.40	1.43	500	7 x 9	4299
15648	Alum	564 1.5 LB Loaf	8.06 x 4.31	7.38 x 3.63	6.75 x 3.00	2.38	28.40	13.92	3.01	500	5 x 6	37056450
15780	Alum	578 2 LB Loaf	8.66 x 4.53	8.00 x 3.78	7.44 x 3.31	2.38	35.20	16.25	3.29	500	6 x 4	-
19259	Alum	925 1/4 Sheet	12.81 x 8.81	12.31 x 8.31	11.63 x 7.63	1.25	56.30	6.92	1.29	100	15 x 5	37092510, 37092310, 37092410, 47092410 47092510
19507	Alum	950 1/2 Sheet	17.63 x 12.81	17.17 x 12.25	16.44 x 11.63	1.25	121.50	16.19	2.77	100	8 x 4	37094910, 37095005, 37095010
16006	Alum	6006 Full Sheet	25.80 x 17.81	24.81 x 16.81	24.25 x 16.25	1.34	240.00	14.27	2.32	25	8 x 4	-



37050525



37050425




47050525



47050550



4299




37056450



37092310



37092410




37092510




47092410



47092510



37094910



37095005



37095010

Item No.	Material	Description	Outside Dimen. (In.)	Depth	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	Ti x Hi	Corresponding Base
----------	----------	-------------	----------------------	-------	-----------------	-------------	-----------	---------	--------------------

Lids for Bakery

37050525	OPS	8" Square Dome	8.25 x 8.25	1.50	10.20	4.42	250	6 x 4	15068
37050425	OPS	8" Square Shallow Dome	8.25 x 8.25	1.06	9.45	2.70	250	6 x 5	15068
47050525	PET	8" Square Dome	8.25 x 8.25	1.50	12.75	4.42	250	6 x 4	15068
47050550	PET	8" Square Dome	8.25 x 8.25	1.50	24.00	7.31	500	4 x 3	15068
4299	OPS	1 LB Loaf Dome	6.50 x 4.13	1.25	5.34	2.12	500	4 x 6	15431
37056450	OPS	1.5 LB Loaf Dome	8.38 x 4.63	1.31	8.25	2.88	500	6 x 3	15648
37092310	OPS	37923 1/4 Sheet Dome Shallow Heavy	13.13 x 9.25	1.28	11.75	2.85	100	4 x 6	19259
37092410	OPS	37924 1/4 Sheet Dome Shallow	13.13 x 9.25	1.28	7.85	2.15	100	6 x 6	19259
37092510	OPS	37925 1/4 Sheet Dome Deep	13.13 x 9.25	2.25	7.82	2.55	100	6 x 6	19259
47092410	PET	47924 1/4 Sheet Dome Shallow	13.13 x 9.25	1.28	10.23	2.14	100	6 x 6	19259
47092510	PET	47925 1/4 Sheet Dome Deep	13.13 x 9.25	2.25	11.00	2.55	100	6 x 5	19259
37094910	OPS	37949 1/2 Sheet Dome Heavy	18.00 x 13.19	1.13	21.06	5.67	100	3 x 4	19507
37095005	OPS	37950WR 1/2 Sheet Dome Wide Rib	18.00 x 13.19	2.25	8.38	3.21	500	6 x 4	19507
37095010	OPS	37950 1/2 Sheet Dome	18.00 x 13.19	2.25	17.64	4.03	100	4 x 5	19507

		Temperature Range						
Code	Explanation	Flash Freeze -40° F	Freezer -15°-15° F	Refrigerator 33°-47° F	Room Temp. 72° F	Warming Temp. 150°-200° F	Microwave 250° F	Oven 400° F
Alum	Aluminum	-20°F ← → 400°F						
Board	Foil/Board Lids for Alum. Containers	-20°F ← → 350°F						
OPS	Oriented Polystyrene	20°F ← → 180°F						
PETE	Polyethylene Terephthalate	-20°F ← → 120°F						

Note: These are typical values, based on testing and published guidelines. They are not intended for use as limiting specifications nor as a substitute for product testing under your specific conditions. D&W Fine Pack assumes no liability whatsoever in connection with the use of information or findings contained herein.



D&W Fine Pack LLC • 777 Mark Street • Wood Dale, Illinois 60191 • Phone: 800.849.4004
Please contact customer service or email customerservice@dwp.com to place an order or for any questions you may have about our product portfolio. All rights reserved by D&W Fine Pack LLC ©2020.

