

Aluminum Product Line



Designed for Anything and Everything

D&W offers a full-line of quality, economical aluminum products. Whatever the application, menu, setting or serving size, there's a perfect container and matching lid that fit the need. Engineered for study handling, transport and serving, D&W's aluminum material is also ideally suited for heating and refrigeration, and is recyclable.



Round, oblong and steam table options



Aluminum Product Line

FEATURES AND BENEFITS

- Superior engineering assures maximum product performance
- Versatility allows for prep, heat, refrigerate, transport and serve in same pan
- Covers available for protection and transporting

Strong sidewall ribs and base design provide support for foods

Recyclable material for environmental stewardship

All in One container used to prepare, heat, cool, deliver and serve



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
----------	----------	-------------	----------------------	---------------------	-------------	-------------	-----------------	-------------	-----------	------------

Steam Tables

16150	Alum	615 1/3 Steam Table B92 100	12.63 x 6.50	11.75 x 5.63	3.25	93.00	9.25	2.04	100	5x6
16240	Alum	624 1/2 Steam Table Shallow B74 100	12.75 x 10.38	11.75 x 9.38	1.69	79.50	9.26	1.79	100	6x7
16121	Alum	612 1/2 Steam Table Med E33 100	12.75 x 10.38	11.75 x 9.38	2.19	104.00	10.10	2.11	100	6x7
16223	Alum	622 1/2 Steam Table Deep B79M 100	12.75 x 10.38	11.75 x 9.38	2.56	120.00	8.97	1.75	100	6x7
16220	Alum	622H 1/2 Steam Table Deep B79 100	12.75 x 10.38	11.75 x 9.38	2.56	120.00	12.15	1.96	100	6x7
16234	Alum	622 1/2 Steam Table Deep B79L 100	12.75 x 10.38	11.75 x 9.38	2.56	120.00	8.66	1.72	100	6x8
16113	Alum	6110 Full Steam Table Shallow B96 50	20.75 x 12.81	19.56 x 11.63	1.50	174.80	12.32	1.96	50	6x7
16117	Alum	6120 Full Steam Table Medium B98 50	20.75 x 12.81	19.56 x 11.63	2.19	228.00	14.03	2.13	50	6x6
16004	Alum	600 Full Steam Table Deep C10 50	20.75 x 12.81	19.56 x 11.63	3.38	342.00	15.30	2.25	50	6x6
16119	Alum	611 Full Steam Table Med Dp C15 50	20.75 x 12.81	19.56 x 11.63	2.94	320.00	15.00	1.97	50	6x7

Steam Table Lids

16144	Alum	614 1/3 Steam Table Lid B91 100	12.69 x 6.56	12.31 x 6.19	0.50	-	3.70	0.53	100	15x9
16200	Alum	6200 1/2 Steam Table Lid B72 100	12.81 x 10.88	12.31 x 9.94	0.63	-	4.89	0.75	100	10x11
37062210	OPS	1/2 Steam Table Dome 37622 100 STND	13.25 x 10.75	-	1.25	-	6.13	1.47	100	8x8
16001	Alum	6100 Full Steam Table Lid B95 50	20.81 x 12.88	20.31 x 9.47	0.63	-	6.40	1.11	50	13x6

Product information is subject to change.

Aluminum Product Line



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
----------	----------	-------------	----------------------	---------------------	-------------	-------------	-----------------	-------------	-----------	------------

Specialty Pans

19044	Alum	904 4 Oz Utility Cup B14 1000	3.25	2.94	1.66	4.20	9.48	2.04	1000	5x6
19060	Alum	906 5 1/4 In Pizza 1000	5.31	5.06	1.16	11.40	15.35	2.82	1000	6x5
19120	Alum	912 12 In Pizza C81 250	13.00	12.34	0.58	37.30	17.00	3.59	250	4x5
16260	Alum	626 Rectangular Roaster D52 100	16.25 x 11.75	15.25 x 10.75	2.14	171.00	21.25	3.02	100	4x6
13730	Alum	373 Casserole SW D96 1000	6.36 x 4.17	5.97 x 3.41	1.19	12.00	17.10	2.11	1000	6x6
16091	Alum	609 Large Oval Roaster D13 25	18.50 x 14.00	17.25 x 12.75	3.75	287.00	9.00	1.58	25	6x6
19864	Alum	986 6 Cup Muffin 500	9.88 x 6.56	9.38 x 6.06	1.50	3.20 x 6	25.63	4.75	500	4x4



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
----------	----------	-------------	----------------------	---------------------	-------------	-------------	-----------------	-------------	-----------	------------

Bakery Containers

19251	Alum	925H 1/4 Sheet 100	12.81 x 8.81	12.25 x 8.25	1.25	56.30	8.00	1.29	100	15x5
19257	Alum	925 1/4 Sheet B85 100	12.81 x 8.81	12.25 x 8.25	1.25	56.30	7.58	1.29	100	15x5
19500	Alum	950 1/2 Sheet B90 100	17.63 x 12.88	17.06 x 12.25	1.25	121.50	17.74	2.78	100	8x4
16006	Alum	6006 Full Sheet B93 25	25.80 x 17.81	24.81 x 16.81	1.34	240.00	14.27	2.32	25	8x4
15050	Alum	505H 8 In Square A42 500	7.88 x 7.88	7.38 x 7.38	1.34	33.00	17.25	2.69	500	6x5
15052	Alum	505 8 In Sq Pan w/Dm D81 100	7.88 x 7.88	7.38 x 7.38	1.34	33.00	7.90	2.49	100	9x5
15430	Alum	543 1 Lb Loaf Pan A79 500	6.13 x 3.75	5.72 x 3.34	2.03	16.00	11.92	1.43	500	9x7
15640	Alum	564H 1.5 Lb Loaf A80 500	8.06 x 4.31	7.38 x 3.63	2.38	28.40	18.20	3.01	500	5x6
15780	Alum	578 2 Lb Loaf Pan A82 500	8.66 x 4.53	8.00 x 3.78	2.38	35.20	16.25	3.29	500	6x4
18080	Alum	808 Danish Tray 1000	11.63 x 4.13	11.13 x 3.63	1.00	20.50	21.15	2.49	1000	5x5
18201	Alum	820 Danish Tray 500	9.50 x 6.88	9.13 x 6.50	0.75	24.00	15.40	2.82	500	6x5
15660	Alum	566 Oblong 500	7.91 x 5.91	7.44 x 5.44	1.13	29.30	12.55	2.48	500	4x7
15950	Alum	595 Large Oblong 500	11.00 x 7.00	10.44 x 6.44	1.13	39.50	24.00	4.15	500	5x4
18170	Alum	817H Danish Tray 1000	11.44 x 5.19	10.94 x 4.69	0.88	19.50	23.00	5.16	1000	5x4

Bakery Container Lids

37092410	OPS	37924 1/4 Sheet Shallow Dome 100	13.13 x 9.38	-	1.25	-	7.85	2.15	100	6x6
37092510	OPS	37925 1/4 Sheet Deep Dome 100	13.13 x 9.38	-	2.25	-	7.82	2.55	100	6x6
47092510	PET	47925 1/4 Sheet Deep Dome 100	13.13 x 9.38	-	2.25	-	11.00	2.55	100	6x5
37095010	OPS	37950 1/2 Sheet Cake Dome 100	18.00 x 13.19	-	2.25	-	17.64	4.03	100	4x5
37050525	OPS	37505 8" Square Dome Ops 250	8.25 x 8.25	-	1.50	-	10.20	4.42	250	6x4
47050525	PET	47505 8" Square Dome Pet 250	8.25 x 8.25	-	1.50	-	12.75	4.42	250	6x4
4299	OPS	37616 1 Lb Loaf Dome 500	6.50 x 4.13	-	1.25	-	5.34	2.12	500	4x6
37056450	OPS	37564 1-1/2 Lb Loaf Dome 500	8.38 x 4.63	-	1.31	-	8.25	2.88	500	6x3

Product information is subject to change.

Aluminum Product Line

FEATURES AND BENEFITS

- Full line of Oblongs available - from 16oz to 80oz
- Strong durable design will perform with any application
- Excellent choice for all carryout meals - hot or cold
- Suited for applications up to 400°F
- Flat or dome lids available for all sizes



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
----------	----------	-------------	----------------------	---------------------	-------------	-------------	-----------------	-------------	-----------	------------

Oblong Containers

15290	Alum	529 13 Oz Oblg Clsbl A78 500	6.66 x 5.00	6.03 x 4.09	1.06	13.00	9.18	2.38	500	4x5
15372	Alum	537 1 Lb Oblong Clsbl A74 1000	5.56 x 4.56	5.06 x 4.06	1.63	16.00	20.10	4.80	1000	4x4
15550	Alum	555 1.5 Lb Oblg Clsbl B25 500	8.50 x 6.00	8.00 x 5.50	1.19	25.00	15.25	4.21	500	4x4
15670	Alum	567 1.5 Lb Oblg Clsbl A48 500	7.12 x 5.12	6.63 x 4.63	1.69	25.00	12.90	2.25	500	6x5
15633	Alum	563 2.00 Lb Oblg Clsbl B23 500	8.44 x 5.94	7.94 x 5.44	1.47	30.75	17.35	4.27	500	4x5
15650	Alum	565 2 Lb Oblong Clsbl B37 500	8.50 x 6.38	8.00 x 5.88	1.47	33.20	18.96	5.56	500	4x3
15834	Alum	583 2 Lb Loaf Clsbl A84 500	8.44 x 4.31	8.00 x 3.88	2.48	38.00	27.58	5.27	500	4x5
15770	Alum	577H Loaf Closeable A86 500	8.44 x 4.31	7.94 x 3.81	2.25	38.00	22.90	4.71	500	3x5
15815	Alum	581 2.25 Lb Oblg Clsbl B31 500	8.44 x 5.94	7.94 x 5.44	1.81	32.70	18.84	3.30	500	6x5
15790	Alum	579 3 Lb Oblg Prfrm Pak A58 500	12.38 x 6.25	11.75 x 5.63	1.50	48.00	25.50	5.84	500	3x4
15730	Alum	573 4 Lb Oblong Clsbl D73 250	12.13 x 8.13	11.50 x 7.50	1.50	66.00	21.35	5.73	250	4x3
15750	Alum	575 5 Lb Oblong Clsbl D88 250	9.63 x 7.06	9.00 x 6.44	2.72	76.00	19.51	4.68	250	4x4
17400	Alum	740 3 Comp Oblong Lo Div Clsbl D48 500	8.50 x 6.38	8.00 x 5.88	1.47	10.70/4.50/4.50	16.00	2.93	500	4x6
16510	Alum/Board	651 3 Comp Lg Oblong w/BL D51 250 Sets	9.94 x 9.19	9.25 x 8.50	1.63	16.00/6.42/3.00	32.70	4.54	250	4x5
16530	Alum/Board	653 3 Comp Hi Div w/BL D59 250 Sets	8.50 x 6.38	8.00 x 5.88	1.47	10.70/4.50/4.50	17.80	2.34	250	6x6

Oblong Container Lids & Domes

K10	Board	Board Lid for 15670	7.00 x 5.06	-	-	-	9.00	0.25	500	20 x 6
K12	Board	Board Lid For 15372	5.53 x 4.53	-	-	-	7.00	0.19	500	24x10
K13	Board	Board Lid for 15290	6.59 x 4.94	-	-	-	9.00	0.26	500	20x6
K14	Board	Board Lid for 15770	8.38 x 4.25	-	-	-	9.00	0.32	500	25x3
K15	Board	Board Lid For 15550, 15815, 15633	8.41 x 5.91	-	-	-	14.00	0.35	500	15x7
K17	Board	Board Lid For 15650 & 17400	8.44 x 6.31	-	-	-	14.00	0.36	500	25x5
K22	Board	Board Lid For 15730	12.17 x 8.06	-	-	-	17.10	0.45	250	21x6
K23	Board	Board Lid For 15750	9.56 x 7.00	-	-	-	9.00	0.26	250	20x7
K25	Board	Board Lid for 15790	12.31 x 6.19	-	-	-	20.47	0.43	500	21.5
K26	Board	Board Lid for 15834	8.31 x 4.19	-	-	-	9.00	0.28	500	12x4
H11	OPS	Dome Lid For 15372	5.50 x 4.50	4.66 x 3.66	0.69	-	5.17	0.45	500	15x12
H13	OPS	Dome Lid For 15770	8.38 x 7.53	4.25 x 3.41	0.69	-	5.75	0.51	500	20x5
H21	OPS	Dome Lid for 15650	8.47 x 6.34	7.72 x 5.59	0.56	-	10.00	0.73	500	16 x 5
H28	OPS	Dome Lid For 15670	6.97 x 5.09	6.00 x 4.19	0.81	-	5.60	0.43	500	16x6
H63	OPS	Dome Lid For 15730	12.06 x 8.06	11.29 x 7.28	0.75	-	11.00	0.74	250	16x5
37058150	OPS	Dome Lid for 15500, 15633, 15815	8.31 X 6.00	7.94 X 5.44	0.85	-	13.16	0.87	500	15x7
47058150	PET	Dome Lid for 15500, 15633, 15815	8.31 X 6.00	7.94X 5.44	0.85	-	16.00	0.87	500	15x7

Product information is subject to change.

Aluminum Product Line



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
----------	----------	-------------	----------------------	---------------------	-------------	-------------	-----------------	-------------	-----------	------------

Aluminum Round Containers *Full line of Rounds available with flat or dome lids*

14705	Alum	471 7 In Rd Clsbl Lght C48L 500	7.12	6.56	1.53	26.00	10.72	3.08	500	5x5
14710	Alum	471 7 In Rd Clsbl C48 500	7.12	6.56	1.53	26.00	12.04	3.08	500	10x4
14871	Alum	487 8 In Rd Closable C58A 500	8.31	7.81	1.56	37.00	14.70	3.12	500	4x5
14955	Alum	495 9 In Rd Clsbl Light 500	8.94	8.38	1.66	48.00	14.43	4.49	500	3x6
14950	Alum	495 9 In Rd Clsbl Med C77 500	8.94	8.38	1.66	48.00	16.30	4.49	500	4x4
14956	Alum	495 9 In Rd Clsbl Hvy C77H 500	8.94	8.38	1.66	48.00	18.80	4.49	500	3x6

Aluminum Round Container Lids

H22	OPS	Dome For 7 In Round Pans	7.06	6.38	0.69	-	8.18	0.73	500	15x7
K18	Board	Board Lid for 7 In Round Pans	7.09	-	-	-	10.48	0.31	500	30x4
H23	OPS	Dome For 8 In Round Pans	8.25	7.44	0.69	-	10.53	1.02	500	10x8
K19	Board	Board Lid for 8 In Round Pans	8.22	-	-	-	14.00	0.39	500	20x6
H24	OPS	Dome For 9 In Round Pans	8.88	8.00	0.69	-	12.00	1.17	500	10x7
K21	Board	Board lid for 9 In Round Pans	8.88	-	-	-	15.14	0.47	500	12x4



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
----------	----------	-------------	----------------------	---------------------	-------------	-------------	-----------------	-------------	-----------	------------

Tart Pans

13061	Alum	306 3 In Deep Tart A90 2000	3.44	3.00	0.88	2.50	7.83	1.70	2000	9x6
13380	Alum	338 4 1/4 In Tart Dp B10 1000	4.34	3.69	0.88	4.50	9.28	1.53	1000	9x5
13390	Alum	339 4 1/2 In Tart Dp B13 2000	4.47	3.69	0.88	4.50	15.59	3.11	2000	4x6
13483	Alum	348 5 In 7 Oz Pot Pie B16 1000	5.00	4.38	1.19	7.00	9.36	1.59	1000	7x8
13842	Alum	384 5 In Pot Pie Lge B20 1000	5.72	5.00	1.53	12.00	19.15	2.95	1000	4x6

Product information is subject to change.

Aluminum Product Line



Item No.	Material	Description	Outside Dimen. (In.)	Inside Dimen. (In.)	Depth (In.)	Fluid Ounce	Case Wt. (lbs.)	Cube (ft.3)	Case Pack	TL TI x HI
11600	Alum	160 6 In Shallow Pie 1000	5.94	5.38	1.00	9.00	13.80	2.54	1,000	4x6
12890	Alum	289 8 In Deep Pie 1000	7.96	7.06	1.09	18.90	25.90	4.48	1,000	5x5
10850	Alum	85 8 In Medium Pie 1000	7.97	7.19	1.00	17.40	25.93	3.92	1,000	5x5
10840	Alum	84 8 In Deep Pie 1000	7.97	7.06	1.38	19.30	26.35	3.92	1,000	5x5
11940	Alum	194 9 In Medium Pie 500	8.94	7.94	1.00	22.40	18.10	3.16	500	4x6
10904	Alum	90 9 In Medium Pie B55 1000	9.00	8.00	1.00	21.00	30.95	4.89	1,000	3x5
10900	Alum	90 9 In Medium Pie D64 500	9.00	8.00	1.00	21.00	17.45	2.85	500	4x6
10918	Alum	91 9 In Deep Pie Hvy D79 500	9.02	8.24	1.11	27.00	21.65	2.88	500	6x4
10931	Alum	93H 9 In XDeep Pie D57 500	9.02	8.25	1.28	33.00	19.75	3.20	500	4x5
11014	Alum	101 10 In Shallow Pie B66 1000	9.61	8.69	0.94	26.70	44.80	7.58	1,000	2x3
11042	Alum	104H 10 In Deep Pie B68 500	9.63	8.69	1.19	32.00	23.20	3.47	500	4x5
11104	Alum	111 11 In Deep Pie 250	10.56	9.56	1.31	36.00	15.80	2.30	250	8x5
11246	Alum	124 12 In XDeep Pie G78 500	11.69	11.00	1.34	54.60	37.45	2.11	500	6x3

Product information is subject to change.

Item Description Abbreviations

Colors / Special Material

K - Black
 B - Blue (usually a "speckled" look)
 G - Gold
 R - Red
 W - White
 V - Vinyl or Epoxy coated

I - Inside / O - Outside (referring to which side of the container is perforated, colored or coated)

*Note: Double letters, such as KK, denote the color or coating is on both sides of container.

Depths of Pans

SH or SHLLW - Shallow
 MED OR MD - Medium
 DP - Deep
 XDP or X-Deep - Extra Deep

Weight of Material

Our lightest gauge of any item that has more than one gauge will not have anything to denote it is light.
 H - Heavy
 Hvy - Heavy for items without a tool/Die number
 XH - Extra heavy

XXH - Extra, extra heavy

*we did use LIGHT in some descriptions *
 Example: 622, 622H and 622XH = 35, 40, 45 gauges respectively (gauges will differ by container)

Container / Pack Types

PIE - Pie Plate
 STM TBL - Steam Table
 OBLG - Oblong
 CLSBL - Closeable
 SQ - Square
 RD - Round

P - Perforated (the amount of holes will be shown - P6, P9, P15, etc)

L - Lanced
 E OR EMB - Embossed
 CMB - Combo Pack
 HI DIV - High Divider
 COMP - Compartmented
 SW or SMOOTHWLL - Smoothwall
 WW - Wagon Wheel design
 WFF - Waffle design
 STR - Star design
 BTM - Bottom (I.E. WW BTM would be Waffle design in bottom of pan)

Temperature Range

Code	Explanation	Flash Freeze -40°F	Freezer -15°-15°F	Refrigerator 33°-47°F	Room Temp. 72°F	Warming Temp. 150°-200°F	Microwave 250°F	Oven 400°F
Alum	Aluminum	-20°F ← → 400°F						
Board	Foil/Board Lids for Alum. Containers	-20°F ← → 350°F						
OPS	Oriented Polystyrene	20°F ← → 180°F						
PETE	Polyethylene Terephthalate	-20°F ← → 120°F						

Note: These are typical values, based on testing and published guidelines. They are not intended for use as limiting specifications nor as a substitute for product testing under your specific conditions. D&W Fine Pack assumes no liability whatsoever in connection with the use of information or findings contained herein.



D&W Fine Pack LLC • 777 Mark Street • Wood Dale, Illinois 60191 • Phone: 800.849.4004
 Please contact customer service or email customerservice@dwfp.com to place an order or for any questions you may have about our product portfolio. All rights reserved by D&W Fine Pack LLC ©2020.



AL-032020